
collections.defaultdict equivalent implementation of list

Release 1.0.0

c0fec0de

Nov 25, 2017

Contents

1	Usage	1
2	Installation	3
	Python Module Index	5

CHAPTER 1

Usage

List extending automatically to the maximum requested length.

Added indices are filled with *None* by default.

```
>>> l = defaultlist()
>>> l
[]
>>> l[2] = "C"
>>> l
[None, None, 'C']
>>> l[4]
>>> l
[None, None, 'C', None, None]
```

Slices and negative indices are supported likewise

```
>>> l[1:4]
[None, 'C', None]
>>> l[-3]
'C'
```

Simple factory functions can be created via *lambda*.

```
>>> l = defaultlist(lambda: 'empty')
>>> l[2] = "C"
>>> l[4]
'empty'
>>> l
['empty', 'empty', 'C', 'empty', 'empty']
```

It is also possible to implement advanced factory functions:

```
>>> def inc():
...     inc.counter += 1
...     return inc.counter
```

```
>>> inc.counter = -1
>>> l = defaultlist(inc)
>>> l[2] = "C"
>>> l
[0, 1, 'C']
>>> l[4]
4
>>> l
[0, 1, 'C', 3, 4]
```

Please be aware that these functions are shared between shallow copies of the list.

```
>>> c = l[1:-1]
>>> c
[1, 'C', 3]
>>> c[5]
7
>>> c
[1, 'C', 3, 5, 6, 7]
>>> l[6]
9
>>> l
[0, 1, 'C', 3, 4, 8, 9]
```

class defaultlist.**defaultlist** (*factory=None*)

Bases: list

List extending automatically to the maximum requested length.

Keyword Arguments **factory** – Function called for every missing index.

copy ()

Return a shallow copy of the list. Equivalent to a[:].

CHAPTER 2

Installation

To install the *defaultlist* module run:

```
pip install defaultlist
```

If you do not have write-permissions to the python installation, try:

```
pip install defaultlist --user
```


d

`defaultlist`, [1](#)

C

`copy()` (`defaultlist.defaultlist` method), [2](#)

D

`defaultlist` (class in `defaultlist`), [2](#)

`defaultlist` (module), [1](#)